

Table 14-6.04

Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

			Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
			Normal at	High at	Normal at	High at	Normal at	High at
			Shift		Shift		Shift	
			Week	to	Baseline	Baseline	Baseline	Baseline
CHEMISTRY								

ALANINE AMINOTRANSFERASE	2	n	81	2	77	1	78	0
		Normal	81 (100%)	0	77 (100%)	0	78 (100%)	0
		High	0	2 (100%)	0	1 (100%)	0	0
	4	n	77	2	69	1	72	0
		Normal	77 (100%)	1 (50%)	69 (100%)	0	72 (100%)	0
		High	0	1 (50%)	0	1 (100%)	0	0
	6	n	72	1	59	1	66	0
		Normal	71 (99%)	1 (100%)	59 (100%)	0	66 (100%)	0
		High	1 (1%)	0	0	1 (100%)	0	0
	8	n	71	1	57	1	56	0
		Normal	71 (100%)	0	57 (100%)	0	54 (96%)	0
		High	0	1 (100%)	0	1 (100%)	2 (4%)	0
	12	n	66	1	49	1	50	0
		Normal	65 (98%)	1 (100%)	48 (98%)	1 (100%)	49 (98%)	0
		High	1 (2%)	0	1 (2%)	0	1 (2%)	0
	16	n	67	1	40	0	37	0
		Normal	67 (100%)	1 (100%)	40 (100%)	0	37 (100%)	0
	20	n	64	1	29	0	31	0
Normal		64 (100%)	1 (100%)	29 (100%)	0	31 (100%)	0	

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

			Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
			Normal at	High at	Normal at	High at	Normal at	High at
	Week	Shift to	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline
ALBUMIN	24	n	56	1	25	0	30	0
		Normal	55 (98%)	1 (100%)	25 (100%)	0	30 (100%)	0
		High	1 (2%)	0	0	0	0	0
	26	n	56	1	24	0	27	0
		Normal	56 (100%)	1 (100%)	23 (96%)	0	27 (100%)	0
		High	0	0	1 (4%)	0	0	0
	2	n	83	0	78	0	78	0
		Normal	83 (100%)	0	78 (100%)	0	78 (100%)	0
	4	n	79	0	70	0	72	0
		Normal	79 (100%)	0	70 (100%)	0	72 (100%)	0
	6	n	73	0	60	0	66	0
		Normal	73 (100%)	0	60 (100%)	0	66 (100%)	0
	8	n	72	0	58	0	56	0
		Normal	72 (100%)	0	58 (100%)	0	56 (100%)	0
	12	n	67	0	50	0	50	0
		Normal	67 (100%)	0	50 (100%)	0	50 (100%)	0
	16	n	68	0	40	0	37	0
		Normal	68 (100%)	0	40 (100%)	0	37 (100%)	0
	20	n	65	0	29	0	31	0
		Normal	65 (100%)	0	29 (100%)	0	31 (100%)	0
	24	n	57	0	25	0	30	0
		Normal	57 (100%)	0	25 (100%)	0	30 (100%)	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

			Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
			Normal at	High at	Normal at	High at	Normal at	High at
	Week	Shift to	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline
ALKALINE PHOSPHATASE	26	n	57	0	24	0	27	0
		Normal	57 (100%)	0	24 (100%)	0	27 (100%)	0
	2	n	82	2	78	0	77	1
		Normal	82 (100%)	0	78 (100%)	0	77 (100%)	0
		High	0	2 (100%)	0	0	0	1 (100%)
	4	n	80	2	69	0	71	1
		Normal	80 (100%)	0	69 (100%)	0	71 (100%)	0
		High	0	2 (100%)	0	0	0	1 (100%)
	6	n	75	0	62	0	66	1
		Normal	75 (100%)	0	62 (100%)	0	66 (100%)	0
		High	0	0	0	0	0	1 (100%)
	8	n	72	1	58	0	55	1
		Normal	72 (100%)	0	57 (98%)	0	55 (100%)	0
		High	0	1 (100%)	1 (2%)	0	0	1 (100%)
	12	n	66	1	50	0	49	1
		Normal	66 (100%)	0	50 (100%)	0	49 (100%)	0
		High	0	1 (100%)	0	0	0	1 (100%)
	16	n	67	1	40	0	36	1
		Normal	67 (100%)	0	40 (100%)	0	36 (100%)	0
		High	0	1 (100%)	0	0	0	1 (100%)
	20	n	64	1	30	0	30	1
		Normal	63 (98%)	0	30 (100%)	0	30 (100%)	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04

Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

			Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
			Normal at	High at	Normal at	High at	Normal at	High at
	Week	Shift to	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline
ASPARTATE AMINOTRANSFERASE	24	High	1 (2%)	1 (100%)	0	0	0	1 (100%)
		n	55	1	26	0	30	0
		Normal	54 (98%)	0	26 (100%)	0	30 (100%)	0
		High	1 (2%)	1 (100%)	0	0	0	0
		n	56	1	24	0	27	0
		Normal	55 (98%)	0	24 (100%)	0	27 (100%)	0
	26	High	1 (2%)	1 (100%)	0	0	0	0
		n	81	2	78	0	78	0
		Normal	80 (99%)	1 (50%)	77 (99%)	0	78 (100%)	0
		High	1 (1%)	1 (50%)	1 (1%)	0	0	0
		n	77	2	69	1	72	0
		Normal	76 (99%)	1 (50%)	69 (100%)	1 (100%)	72 (100%)	0
	4	High	1 (1%)	1 (50%)	0	0	0	0
		n	72	1	60	0	66	0
		Normal	71 (99%)	1 (100%)	60 (100%)	0	65 (98%)	0
		High	1 (1%)	0	0	0	1 (2%)	0
		n	71	1	58	0	56	0
		Normal	70 (99%)	1 (100%)	58 (100%)	0	55 (98%)	0
	6	High	1 (1%)	0	0	0	1 (2%)	0
		n	66	1	50	0	50	0
		Normal	65 (98%)	1 (100%)	49 (98%)	0	50 (100%)	0
		High	1 (2%)	0	1 (2%)	0	0	0
		n	66	1	50	0	50	0
		Normal	65 (98%)	1 (100%)	49 (98%)	0	50 (100%)	0
	8	High	1 (2%)	0	1 (2%)	0	0	0
		n	66	1	50	0	50	0
		Normal	65 (98%)	1 (100%)	49 (98%)	0	50 (100%)	0
		High	1 (2%)	0	1 (2%)	0	0	0
		n	66	1	50	0	50	0
		Normal	65 (98%)	1 (100%)	49 (98%)	0	50 (100%)	0
	12	High	1 (2%)	0	1 (2%)	0	0	0
		n	66	1	50	0	50	0
		Normal	65 (98%)	1 (100%)	49 (98%)	0	50 (100%)	0
		High	1 (2%)	0	1 (2%)	0	0	0
		n	66	1	50	0	50	0
		Normal	65 (98%)	1 (100%)	49 (98%)	0	50 (100%)	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

			Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
			Normal at	High at	Normal at	High at	Normal at	High at
	Week	Shift to	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline
BILIRUBIN	16	n	67	1	40	0	37	0
		Normal	67 (100%)	1 (100%)	39 (98%)	0	37 (100%)	0
		High	0	0	1 (2%)	0	0	0
	20	n	64	1	29	0	31	0
		Normal	64 (100%)	1 (100%)	29 (100%)	0	31 (100%)	0
	24	n	56	1	25	0	30	0
		Normal	54 (96%)	1 (100%)	24 (96%)	0	30 (100%)	0
		High	2 (4%)	0	1 (4%)	0	0	0
	26	n	56	1	24	0	27	0
		Normal	55 (98%)	1 (100%)	23 (96%)	0	27 (100%)	0
		High	1 (2%)	0	1 (4%)	0	0	0
	2	n	83	0	78	0	77	1
		Normal	82 (99%)	0	78 (100%)	0	77 (100%)	1 (100%)
		High	1 (1%)	0	0	0	0	0
	4	n	79	0	70	0	71	1
		Normal	78 (99%)	0	70 (100%)	0	71 (100%)	0
		High	1 (1%)	0	0	0	0	1 (100%)
	6	n	73	0	60	0	65	1
		Normal	73 (100%)	0	60 (100%)	0	65 (100%)	1 (100%)
	8	n	72	0	58	0	55	1
		Normal	72 (100%)	0	58 (100%)	0	55 (100%)	1 (100%)
	12	n	67	0	50	0	49	1

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

		Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
		Normal at	High at	Normal at	High at	Normal at	High at
	Shift	Baseline		Baseline		Baseline	
	Week to	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline
CALCIUM	Normal	67 (100%)	0	50 (100%)	0	48 (98%)	1 (100%)
	High	0	0	0	0	1 (2%)	0
	16 n	68	0	40	0	36	1
	Normal	68 (100%)	0	40 (100%)	0	36 (100%)	1 (100%)
	20 n	65	0	29	0	30	1
	Normal	65 (100%)	0	29 (100%)	0	29 (97%)	1 (100%)
	High	0	0	0	0	1 (3%)	0
	24 n	57	0	25	0	29	1
	Normal	57 (100%)	0	25 (100%)	0	29 (100%)	1 (100%)
	26 n	57	0	24	0	26	1
	Normal	57 (100%)	0	23 (96%)	0	26 (100%)	1 (100%)
	High	0	0	1 (4%)	0	0	0
	2 n	84	0	78	0	78	0
	Normal	84 (100%)	0	78 (100%)	0	78 (100%)	0
	4 n	82	0	70	0	72	0
	Normal	82 (100%)	0	70 (100%)	0	72 (100%)	0
	6 n	75	0	62	0	67	0
	Normal	75 (100%)	0	62 (100%)	0	67 (100%)	0
	8 n	73	0	58	0	56	0
	Normal	73 (100%)	0	58 (100%)	0	56 (100%)	0
	12 n	67	0	50	0	50	0
	Normal	67 (100%)	0	50 (100%)	0	50 (100%)	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

			Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
			Normal at	High at	Normal at	High at	Normal at	High at
	Week	Shift	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline
		to						
CHLORIDE	16	n	68	0	40	0	37	0
		Normal	68 (100%)	0	40 (100%)	0	37 (100%)	0
	20	n	66	0	30	0	31	0
		Normal	66 (100%)	0	30 (100%)	0	31 (100%)	0
	24	n	57	0	26	0	30	0
		Normal	57 (100%)	0	26 (100%)	0	30 (100%)	0
	26	n	57	0	24	0	27	0
		Normal	57 (100%)	0	24 (100%)	0	27 (100%)	0
	2	n	84	0	78	0	76	0
		Normal	84 (100%)	0	78 (100%)	0	76 (100%)	0
	4	n	82	0	70	0	71	0
		Normal	82 (100%)	0	70 (100%)	0	71 (100%)	0
	6	n	75	0	62	0	66	0
		Normal	75 (100%)	0	62 (100%)	0	66 (100%)	0
	8	n	73	0	58	0	56	0
		Normal	73 (100%)	0	58 (100%)	0	56 (100%)	0
	12	n	67	0	50	0	49	0
		Normal	67 (100%)	0	50 (100%)	0	49 (100%)	0
	16	n	68	0	40	0	37	0
		Normal	68 (100%)	0	40 (100%)	0	37 (100%)	0
	20	n	65	0	30	0	31	0
		Normal	65 (100%)	0	30 (100%)	0	31 (100%)	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

		Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
		Normal at	High at	Normal at	High at	Normal at	High at
	Shift	Week	to	Baseline	Baseline	Baseline	Baseline
CHOLESTEROL		24	n	57	0	26	0
			Normal	57 (100%)	0	26 (100%)	0
		26	n	57	0	24	0
			Normal	57 (100%)	0	24 (100%)	0
		2	n	84	0	78	0
			Normal	84 (100%)	0	78 (100%)	0
		4	n	82	0	70	0
			Normal	82 (100%)	0	70 (100%)	0
		6	n	75	0	62	0
			Normal	75 (100%)	0	62 (100%)	0
		8	n	73	0	58	0
			Normal	73 (100%)	0	58 (100%)	0
		12	n	67	0	50	0
			Normal	67 (100%)	0	50 (100%)	0
		16	n	68	0	40	0
			Normal	68 (100%)	0	40 (100%)	0
		20	n	66	0	30	0
			Normal	66 (100%)	0	30 (100%)	0
		24	n	57	0	26	0
			Normal	57 (100%)	0	26 (100%)	0
		26	n	57	0	24	0
			Normal	57 (100%)	0	24 (100%)	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04

Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

			Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
			Normal at	High at	Normal at	High at	Normal at	High at
	Week	Shift to	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline
CREATINE KINASE	2	n	83	0	77	1	75	3
		Normal	81(98%)	0	74(96%)	1(100%)	74(99%)	3(100%)
		High	2(2%)	0	3(4%)	0	1(1%)	0
	4	n	79	0	69	1	69	3
		Normal	78(99%)	0	68(99%)	1(100%)	68(99%)	3(100%)
		High	1(1%)	0	1(1%)	0	1(1%)	0
	6	n	73	0	59	1	63	3
		Normal	73(100%)	0	58(98%)	1(100%)	61(97%)	2(67%)
		High	0	0	1(2%)	0	2(3%)	1(33%)
	8	n	72	0	57	1	54	2
		Normal	71(99%)	0	57(100%)	1(100%)	53(98%)	2(100%)
		High	1(1%)	0	0	0	1(2%)	0
	12	n	67	0	49	1	48	2
		Normal	65(97%)	0	48(98%)	1(100%)	47(98%)	1(50%)
		High	2(3%)	0	1(2%)	0	1(2%)	1(50%)
	16	n	68	0	39	1	36	1
		Normal	66(97%)	0	39(100%)	1(100%)	36(100%)	1(100%)
		High	2(3%)	0	0	0	0	0
	20	n	65	0	29	0	30	1
		Normal	65(100%)	0	27(93%)	0	29(97%)	1(100%)
		High	0	0	2(7%)	0	1(3%)	0
	24	n	57	0	25	0	29	1

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

		Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
		Normal at	High at	Normal at	High at	Normal at	High at
	Shift	Week	to	Baseline	Baseline	Baseline	Baseline
CREATININE	Normal	55 (96%)	0	25 (100%)	0	29 (100%)	1 (100%)
	High	2 (4%)	0	0	0	0	0
	n	57	0	24	0	26	1
	Normal	57 (100%)	0	24 (100%)	0	25 (96%)	1 (100%)
	High	0	0	0	0	1 (4%)	0
	n	84	0	78	0	78	0
	Normal	84 (100%)	0	78 (100%)	0	78 (100%)	0
	n	82	0	70	0	72	0
	Normal	82 (100%)	0	70 (100%)	0	72 (100%)	0
	n	75	0	62	0	67	0
	Normal	75 (100%)	0	62 (100%)	0	67 (100%)	0
	n	73	0	58	0	56	0
	Normal	73 (100%)	0	58 (100%)	0	56 (100%)	0
	n	67	0	50	0	50	0
	Normal	67 (100%)	0	50 (100%)	0	50 (100%)	0
	n	68	0	40	0	37	0
	Normal	68 (100%)	0	40 (100%)	0	37 (100%)	0
	n	66	0	30	0	31	0
	Normal	66 (100%)	0	30 (100%)	0	31 (100%)	0
	n	57	0	26	0	30	0
	Normal	57 (100%)	0	26 (100%)	0	30 (100%)	0
	n	57	0	24	0	27	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

			Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
			Normal at	High at	Normal at	High at	Normal at	High at
	Week	Shift to	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline
GAMMA GLUTAMYL TRANSFERASE	2	Normal	57(100%)	0	24(100%)	0	27(100%)	0
		n	82	2	76	2	76	2
	4	Normal	82(100%)	1(50%)	75(99%)	1(50%)	75(99%)	1(50%)
		High	0	1(50%)	1(1%)	1(50%)	1(1%)	1(50%)
	6	n	80	2	68	2	70	2
		Normal	80(100%)	1(50%)	68(100%)	1(50%)	70(100%)	1(50%)
	8	High	0	1(50%)	0	1(50%)	0	1(50%)
		n	74	1	61	1	66	1
	12	Normal	74(100%)	0	61(100%)	1(100%)	66(100%)	0
		High	0	1(100%)	0	0	0	1(100%)
	16	n	72	1	57	1	55	1
		Normal	72(100%)	0	56(98%)	1(100%)	54(98%)	0
	20	High	0	1(100%)	1(2%)	0	1(2%)	1(100%)
		n	66	1	49	1	49	1
	24	Normal	66(100%)	0	49(100%)	1(100%)	49(100%)	0
		High	0	1(100%)	0	0	0	1(100%)
	28	n	67	1	39	1	36	1
		Normal	67(100%)	1(100%)	39(100%)	1(100%)	36(100%)	0
	32	High	0	0	0	0	0	1(100%)
		n	65	1	29	1	31	0
	36	Normal	65(100%)	0	29(100%)	0	31(100%)	0
		High	0	1(100%)	0	1(100%)	0	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

			Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
			Normal at	High at	Normal at	High at	Normal at	High at
	Week	Shift to	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline
GLUCOSE	24	n	56	1	26	0	29	1
		Normal	54 (96%)	1 (100%)	25 (96%)	0	29 (100%)	0
		High	2 (4%)	0	1 (4%)	0	0	1 (100%)
	26	n	56	1	24	0	26	1
		Normal	55 (98%)	1 (100%)	23 (96%)	0	26 (100%)	0
		High	1 (2%)	0	1 (4%)	0	0	1 (100%)
	2	n	82	1	78	0	78	0
		Normal	82 (100%)	1 (100%)	78 (100%)	0	77 (99%)	0
		High	0	0	0	0	1 (1%)	0
	4	n	78	1	69	0	72	0
		Normal	78 (100%)	1 (100%)	69 (100%)	0	72 (100%)	0
	6	n	72	1	60	0	66	0
		Normal	72 (100%)	1 (100%)	60 (100%)	0	65 (98%)	0
		High	0	0	0	0	1 (2%)	0
	8	n	71	1	57	0	56	0
		Normal	71 (100%)	1 (100%)	57 (100%)	0	56 (100%)	0
	12	n	66	1	50	0	49	0
		Normal	66 (100%)	1 (100%)	49 (98%)	0	49 (100%)	0
		High	0	0	1 (2%)	0	0	0
	16	n	67	1	40	0	37	0
		Normal	67 (100%)	1 (100%)	40 (100%)	0	37 (100%)	0
	20	n	64	1	29	0	31	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

		Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
		Normal at	High at	Normal at	High at	Normal at	High at
	Week	Shift to	Baseline	Baseline	Baseline	Baseline	Baseline
PHOSPHATE		Normal	64 (100%)	1 (100%)	29 (100%)	0	31 (100%)
	24	n	56	1	25	0	30
		Normal	56 (100%)	1 (100%)	25 (100%)	0	30 (100%)
	26	n	56	1	24	0	27
		Normal	56 (100%)	1 (100%)	24 (100%)	0	27 (100%)
	2	n	84	0	78	0	78
		Normal	84 (100%)	0	78 (100%)	0	78 (100%)
	4	n	82	0	68	0	72
		Normal	82 (100%)	0	68 (100%)	0	72 (100%)
	6	n	75	0	62	0	67
		Normal	75 (100%)	0	62 (100%)	0	67 (100%)
	8	n	73	0	58	0	56
		Normal	73 (100%)	0	58 (100%)	0	56 (100%)
	12	n	67	0	50	0	50
		Normal	67 (100%)	0	50 (100%)	0	50 (100%)
	16	n	68	0	40	0	37
		Normal	68 (100%)	0	40 (100%)	0	37 (100%)
	20	n	65	0	30	0	31
		Normal	65 (100%)	0	30 (100%)	0	31 (100%)
	24	n	56	0	26	0	30
		Normal	56 (100%)	0	26 (100%)	0	30 (100%)
	26	n	57	0	24	0	27

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

			Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
			Normal at	High at	Normal at	High at	Normal at	High at
	Week	Shift to	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline
POTASSIUM		Normal	57 (100%)	0	24 (100%)	0	27 (100%)	0
	2	n	84	0	78	0	76	0
		Normal	84 (100%)	0	78 (100%)	0	76 (100%)	0
	4	n	82	0	68	0	71	0
		Normal	82 (100%)	0	68 (100%)	0	71 (100%)	0
	6	n	75	0	62	0	66	0
		Normal	75 (100%)	0	62 (100%)	0	66 (100%)	0
	8	n	73	0	58	0	56	0
		Normal	73 (100%)	0	58 (100%)	0	56 (100%)	0
	12	n	67	0	50	0	49	0
		Normal	67 (100%)	0	50 (100%)	0	49 (100%)	0
	16	n	68	0	40	0	37	0
		Normal	68 (100%)	0	40 (100%)	0	37 (100%)	0
	20	n	64	0	30	0	31	0
		Normal	64 (100%)	0	30 (100%)	0	31 (100%)	0
	24	n	56	0	26	0	30	0
		Normal	56 (100%)	0	26 (100%)	0	30 (100%)	0
PROTEIN	26	n	57	0	24	0	27	0
		Normal	57 (100%)	0	24 (100%)	0	27 (100%)	0
	2	n	84	0	78	0	78	0
		Normal	84 (100%)	0	78 (100%)	0	78 (100%)	0
	4	n	82	0	70	0	72	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

		Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
		Normal at	High at	Normal at	High at	Normal at	High at
	Shift	Baseline		Baseline		Baseline	
	Week to	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline
SODIUM	Normal	82 (100%)	0	70 (100%)	0	72 (100%)	0
	6 n	75	0	62	0	67	0
	Normal	75 (100%)	0	62 (100%)	0	67 (100%)	0
	8 n	73	0	58	0	56	0
	Normal	73 (100%)	0	58 (100%)	0	56 (100%)	0
	12 n	67	0	50	0	50	0
	Normal	67 (100%)	0	50 (100%)	0	50 (100%)	0
	16 n	68	0	40	0	37	0
	Normal	68 (100%)	0	40 (100%)	0	37 (100%)	0
	20 n	66	0	30	0	31	0
	Normal	66 (100%)	0	30 (100%)	0	31 (100%)	0
	24 n	57	0	26	0	30	0
	Normal	57 (100%)	0	26 (100%)	0	30 (100%)	0
	26 n	57	0	24	0	27	0
	Normal	57 (100%)	0	24 (100%)	0	27 (100%)	0
	2 n	84	0	78	0	76	0
	Normal	84 (100%)	0	78 (100%)	0	76 (100%)	0
	4 n	82	0	70	0	71	0
	Normal	82 (100%)	0	70 (100%)	0	71 (100%)	0
	6 n	75	0	62	0	66	0
	Normal	75 (100%)	0	62 (100%)	0	66 (100%)	0
	8 n	73	0	58	0	56	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

		Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
		Normal at	High at	Normal at	High at	Normal at	High at
	Shift	Baseline		Baseline		Baseline	
	Week to	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline
URATE	Normal	73 (100%)	0	58 (100%)	0	56 (100%)	0
	12 n	67	0	50	0	49	0
	Normal	67 (100%)	0	50 (100%)	0	49 (100%)	0
	16 n	68	0	40	0	37	0
	Normal	68 (100%)	0	40 (100%)	0	37 (100%)	0
	20 n	65	0	30	0	31	0
	Normal	65 (100%)	0	30 (100%)	0	31 (100%)	0
	24 n	57	0	26	0	30	0
	Normal	57 (100%)	0	26 (100%)	0	30 (100%)	0
	26 n	57	0	24	0	27	0
	Normal	57 (100%)	0	24 (100%)	0	27 (100%)	0
	2 n	84	0	78	0	78	0
	Normal	84 (100%)	0	78 (100%)	0	78 (100%)	0
	4 n	82	0	70	0	72	0
	Normal	82 (100%)	0	70 (100%)	0	72 (100%)	0
	6 n	75	0	62	0	67	0
	Normal	75 (100%)	0	62 (100%)	0	67 (100%)	0
	8 n	73	0	58	0	56	0
	Normal	73 (100%)	0	58 (100%)	0	56 (100%)	0
	12 n	67	0	50	0	50	0
	Normal	67 (100%)	0	50 (100%)	0	50 (100%)	0
	16 n	68	0	40	0	37	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

		Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
		Normal at	High at	Normal at	High at	Normal at	High at
	Week	Shift to	Baseline	Baseline	Baseline	Baseline	Baseline
UREA NITROGEN	20	Normal	68 (100%)	0	40 (100%)	0	37 (100%)
		n	66	0	30	0	31
	24	Normal	66 (100%)	0	30 (100%)	0	31 (100%)
		n	57	0	26	0	30
	26	Normal	57 (100%)	0	26 (100%)	0	30 (100%)
		n	57	0	24	0	27
	2	Normal	57 (100%)	0	24 (100%)	0	27 (100%)
		n	84	0	76	2	78
		High	0	0	0	1 (1%)	0
	4	Normal	84 (100%)	0	76 (100%)	2 (100%)	77 (99%)
		n	82	0	68	2	72
	6	Normal	82 (100%)	0	68 (100%)	2 (100%)	72 (100%)
		n	75	0	60	2	67
	8	Normal	75 (100%)	0	60 (100%)	2 (100%)	67 (100%)
		n	73	0	56	2	56
	12	Normal	73 (100%)	0	56 (100%)	2 (100%)	56 (100%)
		n	67	0	49	1	50
	16	Normal	67 (100%)	0	49 (100%)	1 (100%)	50 (100%)
		n	68	0	39	1	37
	20	Normal	68 (100%)	0	39 (100%)	1 (100%)	37 (100%)
		n	66	0	29	1	31
		Normal	66 (100%)	0	29 (100%)	1 (100%)	31 (100%)

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

				Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
				Normal at	High at	Normal at	High at	Normal at	High at
	Week	Shift to	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline
	24	n	57	0	25	1	30	0	
		Normal	57 (100%)	0	25 (100%)	1 (100%)	30 (100%)	0	
	26	n	57	0	23	1	27	0	
		Normal	57 (100%)	0	23 (100%)	1 (100%)	26 (96%)	0	
		High	0	0	0	0	1 (4%)	0	
HEMATOLOGY									

BASOPHILS	2	n	82	0	77	0	77	0	
		Normal	82 (100%)	0	77 (100%)	0	77 (100%)	0	
	4	n	78	0	69	0	69	0	
		Normal	78 (100%)	0	69 (100%)	0	69 (100%)	0	
	6	n	72	0	59	0	62	0	
		Normal	72 (100%)	0	59 (100%)	0	62 (100%)	0	
	8	n	71	0	56	0	55	0	
		Normal	71 (100%)	0	56 (100%)	0	55 (100%)	0	
	12	n	65	0	48	0	49	0	
		Normal	65 (100%)	0	48 (100%)	0	49 (100%)	0	
	16	n	67	0	39	0	36	0	
		Normal	67 (100%)	0	39 (100%)	0	36 (100%)	0	
	20	n	64	0	29	0	31	0	
		Normal	64 (100%)	0	29 (100%)	0	31 (100%)	0	
	24	n	57	0	24	0	29	0	

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

		Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
		Normal at	High at	Normal at	High at	Normal at	High at
	Week	Shift to	Baseline	Baseline	Baseline	Baseline	Baseline
EOSINOPHILS	26	Normal	57 (100%)	0	24 (100%)	0	29 (100%)
		n	56	0	24	0	26
	2	Normal	56 (100%)	0	24 (100%)	0	26 (100%)
		n	82	0	76	1	77
	4	Normal	82 (100%)	0	74 (97%)	1 (100%)	77 (100%)
		High	0	0	2 (3%)	0	0
	6	Normal	78 (100%)	0	69 (100%)	0	68 (99%)
		High	0	0	0	0	1 (1%)
	8	Normal	72 (100%)	0	59 (100%)	0	58 (94%)
		High	0	0	0	0	4 (6%)
	12	Normal	71 (100%)	0	53 (95%)	0	52 (95%)
		High	0	0	3 (5%)	0	3 (5%)
	16	Normal	65 (100%)	0	46 (96%)	0	49 (100%)
		High	0	0	2 (4%)	0	0
	20	Normal	67 (100%)	0	39 (100%)	0	35 (97%)
		High	0	0	0	0	1 (3%)
		n	64	0	29	0	31

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

			Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
			Normal at	High at	Normal at	High at	Normal at	High at
	Week	Shift	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline
		to						
ERY. MEAN CORPUSCULAR HB CONCENTRATION	24	Normal	64 (100%)	0	29 (100%)	0	31 (100%)	0
		n	57	0	24	0	29	0
	26	Normal	57 (100%)	0	24 (100%)	0	29 (100%)	0
		n	56	0	24	0	26	0
	2	Normal	56 (100%)	0	24 (100%)	0	26 (100%)	0
		n	82	0	76	0	76	0
	4	Normal	82 (100%)	0	76 (100%)	0	76 (100%)	0
		n	76	0	67	0	67	0
	6	Normal	76 (100%)	0	67 (100%)	0	67 (100%)	0
		n	71	0	57	0	63	0
	8	Normal	71 (100%)	0	57 (100%)	0	63 (100%)	0
		n	70	0	53	0	55	0
	12	Normal	70 (100%)	0	53 (100%)	0	55 (100%)	0
		n	64	0	47	0	49	0
	16	Normal	64 (100%)	0	47 (100%)	0	49 (100%)	0
		n	67	0	39	0	36	0
20	Normal	67 (100%)	0	39 (100%)	0	36 (100%)	0	
	n	63	0	29	0	31	0	
24	Normal	63 (100%)	0	29 (100%)	0	31 (100%)	0	
	n	57	0	24	0	29	0	
		Normal	57 (100%)	0	24 (100%)	0	29 (100%)	0

NOTES: Only subjects with baseline results are included in the summary.
There were no subjects with abnormal low values at baseline.
Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

			Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
			Normal at	High at	Normal at	High at	Normal at	High at
	Week	Shift to	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline
ERY. MEAN CORPUSCULAR HEMOGLOBIN	26	n	55	0	24	0	26	0
		Normal	55 (100%)	0	24 (100%)	0	26 (100%)	0
	2	n	82	0	77	0	77	0
		Normal	82 (100%)	0	77 (100%)	0	77 (100%)	0
	4	n	78	0	69	0	69	0
		Normal	78 (100%)	0	69 (100%)	0	69 (100%)	0
	6	n	72	0	59	0	63	0
		Normal	72 (100%)	0	59 (100%)	0	63 (100%)	0
	8	n	71	0	56	0	55	0
		Normal	71 (100%)	0	56 (100%)	0	55 (100%)	0
	12	n	65	0	48	0	49	0
		Normal	65 (100%)	0	48 (100%)	0	49 (100%)	0
	16	n	67	0	39	0	36	0
		Normal	67 (100%)	0	39 (100%)	0	36 (100%)	0
	20	n	64	0	29	0	31	0
		Normal	64 (100%)	0	29 (100%)	0	31 (100%)	0
ERY. MEAN CORPUSCULAR VOLUME	24	n	57	0	24	0	29	0
		Normal	57 (100%)	0	24 (100%)	0	29 (100%)	0
	26	n	56	0	24	0	26	0
		Normal	56 (100%)	0	24 (100%)	0	26 (100%)	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

		Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
		Normal at	High at	Normal at	High at	Normal at	High at
	Shift	Baseline		Baseline		Baseline	
	Week to	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline
ERYTHROCYTES	Normal	82 (100%)	0	76 (100%)	0	76 (100%)	0
	4 n	76	0	67	0	67	0
	Normal	76 (100%)	0	67 (100%)	0	67 (100%)	0
	6 n	71	0	57	0	63	0
	Normal	71 (100%)	0	57 (100%)	0	63 (100%)	0
	8 n	70	0	53	0	55	0
	Normal	70 (100%)	0	53 (100%)	0	55 (100%)	0
	12 n	64	0	47	0	49	0
	Normal	64 (100%)	0	47 (100%)	0	49 (100%)	0
	16 n	67	0	39	0	36	0
	Normal	67 (100%)	0	39 (100%)	0	36 (100%)	0
	20 n	63	0	29	0	31	0
	Normal	63 (100%)	0	29 (100%)	0	31 (100%)	0
	24 n	57	0	24	0	29	0
	Normal	57 (100%)	0	24 (100%)	0	29 (100%)	0
	26 n	55	0	24	0	26	0
	Normal	55 (100%)	0	24 (100%)	0	26 (100%)	0
ERYTHROCYTES	2 n	82	0	77	0	77	0
	Normal	82 (100%)	0	77 (100%)	0	77 (100%)	0
	4 n	78	0	69	0	69	0
	Normal	78 (100%)	0	69 (100%)	0	69 (100%)	0
	6 n	72	0	59	0	63	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

		Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
		Normal at	High at	Normal at	High at	Normal at	High at
	Shift	Baseline		Baseline		Baseline	
	Week to	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline
HEMATOCRIT	Normal	72 (100%)	0	59 (100%)	0	63 (100%)	0
	8 n	71	0	56	0	55	0
	Normal	71 (100%)	0	56 (100%)	0	55 (100%)	0
	12 n	65	0	48	0	49	0
	Normal	65 (100%)	0	48 (100%)	0	49 (100%)	0
	16 n	67	0	39	0	36	0
	Normal	67 (100%)	0	39 (100%)	0	36 (100%)	0
	20 n	64	0	29	0	31	0
	Normal	64 (100%)	0	29 (100%)	0	31 (100%)	0
	24 n	57	0	24	0	29	0
	Normal	57 (100%)	0	24 (100%)	0	29 (100%)	0
	26 n	56	0	24	0	26	0
	Normal	56 (100%)	0	24 (100%)	0	26 (100%)	0
	2 n	82	0	76	0	76	0
	Normal	82 (100%)	0	76 (100%)	0	76 (100%)	0
	4 n	76	0	67	0	67	0
	Normal	76 (100%)	0	67 (100%)	0	67 (100%)	0
	6 n	71	0	57	0	63	0
	Normal	71 (100%)	0	57 (100%)	0	63 (100%)	0
	8 n	70	0	53	0	55	0
	Normal	70 (100%)	0	53 (100%)	0	55 (100%)	0
	12 n	64	0	47	0	49	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

		Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
		Normal at	High at	Normal at	High at	Normal at	High at
	Shift	Baseline		Baseline		Baseline	
	Week to	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline
HEMOGLOBIN	Normal	64 (100%)	0	47 (100%)	0	49 (100%)	0
	16 n	67	0	39	0	36	0
	Normal	67 (100%)	0	39 (100%)	0	36 (100%)	0
	20 n	63	0	29	0	31	0
	Normal	63 (100%)	0	29 (100%)	0	31 (100%)	0
	24 n	57	0	24	0	29	0
	Normal	57 (100%)	0	24 (100%)	0	29 (100%)	0
	26 n	55	0	24	0	26	0
	Normal	55 (100%)	0	24 (100%)	0	26 (100%)	0
	2 n	82	0	77	0	77	0
	Normal	82 (100%)	0	77 (100%)	0	77 (100%)	0
	4 n	78	0	69	0	69	0
	Normal	78 (100%)	0	69 (100%)	0	69 (100%)	0
	6 n	72	0	59	0	63	0
	Normal	72 (100%)	0	59 (100%)	0	63 (100%)	0
	8 n	71	0	56	0	55	0
	Normal	71 (100%)	0	56 (100%)	0	55 (100%)	0
	12 n	65	0	48	0	49	0
	Normal	65 (100%)	0	48 (100%)	0	49 (100%)	0
	16 n	67	0	39	0	36	0
	Normal	67 (100%)	0	39 (100%)	0	36 (100%)	0
	20 n	64	0	29	0	31	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

		Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
		Normal at	High at	Normal at	High at	Normal at	High at
	Week	Shift to	Baseline	Baseline	Baseline	Baseline	Baseline
LEUKOCYTES		Normal	64 (100%)	0	29 (100%)	0	31 (100%)
	24	n	57	0	24	0	29
		Normal	57 (100%)	0	24 (100%)	0	29 (100%)
	26	n	56	0	24	0	26
		Normal	56 (100%)	0	24 (100%)	0	26 (100%)
	2	n	82	0	77	0	77
		Normal	82 (100%)	0	77 (100%)	0	77 (100%)
	4	n	78	0	69	0	69
		Normal	78 (100%)	0	69 (100%)	0	69 (100%)
	6	n	72	0	59	0	63
		Normal	72 (100%)	0	59 (100%)	0	63 (100%)
	8	n	71	0	56	0	55
		Normal	71 (100%)	0	56 (100%)	0	55 (100%)
	12	n	65	0	48	0	49
		Normal	65 (100%)	0	48 (100%)	0	49 (100%)
	16	n	67	0	39	0	36
		Normal	67 (100%)	0	39 (100%)	0	36 (100%)
	20	n	64	0	29	0	31
		Normal	64 (100%)	0	29 (100%)	0	31 (100%)
	24	n	57	0	24	0	29
		Normal	57 (100%)	0	24 (100%)	0	29 (100%)
	26	n	56	0	24	0	26

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

			Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
			Normal at	High at	Normal at	High at	Normal at	High at
	Week	Shift to	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline
LYMPHOCYTES	2	Normal	56 (100%)	0	24 (100%)	0	26 (100%)	0
		n	82	0	77	0	77	0
	4	Normal	82 (100%)	0	77 (100%)	0	77 (100%)	0
		n	78	0	69	0	69	0
	6	Normal	78 (100%)	0	69 (100%)	0	69 (100%)	0
		n	72	0	59	0	62	0
	8	Normal	72 (100%)	0	59 (100%)	0	62 (100%)	0
		n	71	0	56	0	55	0
	12	Normal	70 (99%)	0	56 (100%)	0	55 (100%)	0
		High	1 (1%)	0	0	0	0	0
	16	n	65	0	48	0	49	0
		Normal	64 (98%)	0	48 (100%)	0	49 (100%)	0
	20	High	1 (2%)	0	0	0	0	0
		n	67	0	39	0	36	0
	24	Normal	67 (100%)	0	39 (100%)	0	36 (100%)	0
		n	64	0	29	0	31	0
MONOCYTES	26	Normal	64 (100%)	0	29 (100%)	0	31 (100%)	0
		n	57	0	24	0	29	0
		Normal	57 (100%)	0	24 (100%)	0	29 (100%)	0
		n	56	0	24	0	26	0
		Normal	56 (100%)	0	24 (100%)	0	26 (100%)	0
		n	82	0	77	0	77	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

		Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
		Normal at	High at	Normal at	High at	Normal at	High at
	Shift	Baseline		Baseline		Baseline	
	Week to	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline
PLATELET	Normal	82 (100%)	0	77 (100%)	0	77 (100%)	0
	4 n	78	0	69	0	69	0
	Normal	78 (100%)	0	69 (100%)	0	69 (100%)	0
	6 n	71	0	59	0	62	0
	Normal	71 (100%)	0	59 (100%)	0	62 (100%)	0
	8 n	71	0	56	0	55	0
	Normal	71 (100%)	0	56 (100%)	0	55 (100%)	0
	12 n	65	0	48	0	49	0
	Normal	65 (100%)	0	48 (100%)	0	49 (100%)	0
	16 n	66	0	39	0	36	0
	Normal	66 (100%)	0	39 (100%)	0	36 (100%)	0
	20 n	64	0	29	0	31	0
	Normal	64 (100%)	0	29 (100%)	0	31 (100%)	0
	24 n	57	0	24	0	29	0
	Normal	57 (100%)	0	24 (100%)	0	29 (100%)	0
	26 n	56	0	24	0	26	0
	Normal	56 (100%)	0	24 (100%)	0	26 (100%)	0
PLATELET	2 n	82	0	74	0	77	0
	Normal	82 (100%)	0	74 (100%)	0	77 (100%)	0
	4 n	77	0	67	0	68	0
	Normal	77 (100%)	0	67 (100%)	0	68 (100%)	0
	6 n	72	0	57	0	61	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04

Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

		Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
		Normal at	High at	Normal at	High at	Normal at	High at
Week	Shift to	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline
8	Normal	72 (100%)	0	57 (100%)	0	61 (100%)	0
	n	71	0	55	0	54	0
12	Normal	71 (100%)	0	55 (100%)	0	54 (100%)	0
	n	64	0	47	0	48	0
16	Normal	64 (100%)	0	47 (100%)	0	48 (100%)	0
	n	67	0	37	0	36	0
20	Normal	67 (100%)	0	37 (100%)	0	36 (100%)	0
	n	64	0	28	0	30	0
24	Normal	64 (100%)	0	28 (100%)	0	30 (100%)	0
	n	56	0	22	0	28	0
26	Normal	56 (100%)	0	22 (100%)	0	28 (100%)	0
	n	55	0	23	0	26	0
	Normal	55 (100%)	0	23 (100%)	0	26 (100%)	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020